



# Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**  
 County: **Webster**  
 Location: **11-87N-28W**  
 Township: **Sumner**  
 Acres: **68.35**  
 Date: **8/27/2020**



Maps Provided By:  
  
 © AgriData, Inc. 2020 [www.AgriDataInc.com](http://www.AgriDataInc.com)



Area Symbol: IA187, Soil Area Version: 37												
Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	Oats	Spring wheat	*n NCCPI Soybeans
107	Webster clay loam, 0 to 2 percent slopes	29.99	43.9%		llw	224	65	86	82			82
55	Nicollet clay loam, 1 to 3 percent slopes	17.82	26.1%		lw	233.6	67.7	89	90			82
507	Canisteo clay loam, 0 to 2 percent slopes	8.77	12.8%		llw	224	65	84	77			81
1236B	Angus loam, 2 to 6 percent slopes	4.89	7.2%		lle	212.8	61.7	85	77	5	3	80
138B	Clarion loam, 2 to 6 percent slopes	3.22	4.7%		lle	225.6	65.4	89	82			84
325	Le Sueur loam, 1 to 3 percent slopes	2.38	3.5%		lw	209.6	60.8	77	85	9	6	86
262G	Lester-Belview complex, 22 to 40 percent slopes	1.09	1.6%		Vlle	100.8	29.2	9	11	7	5	16
6	Okoboji silty clay loam, 0 to 1 percent slopes	0.19	0.3%		lllw	177.6	51.5	59	62			74
<b>Weighted Average</b>						<b>223.2</b>	<b>64.7</b>	<b>85</b>	<b>82</b>	<b>0.8</b>	<b>0.5</b>	<b>*n 80.9</b>

\*\*IA has updated the CSR values for each county to CSR2.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.