



# Soils Map



State: **Iowa**  
 County: **Wapello**  
 Location: **8-72N-15W**  
 Township: **Polk**  
 Acres: **26.88**  
 Date: **7/28/2020**



Maps Provided By:  
  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2020 [www.AgriDataInc.com](http://www.AgriDataInc.com)



Soils data provided by USDA and NRCS.

Area Symbol: IA179. Soil Area Version: 29											
Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	*n NCCPI Soybeans	
S732C2	Weller silty clay loam, 5 to 9 percent slopes, moderately eroded	16.50	61.4%		IIIe	0	0	59		69	
132B	Weller silt loam, 2 to 5 percent slopes	6.45	24.0%		IIIe	80	23.2	67	55	82	
424E2	Lindley-Keswick loams, 14 to 18 percent slopes, moderately eroded	1.96	7.3%		VIe	108.8	31.6	24	5	46	
425D2	Keswick loam, 9 to 14 percent slopes, moderately eroded	1.19	4.4%		IVe	88	25.5	9	5	37	
1313F	Munterville silt loam, 18 to 40 percent slopes	0.51	1.9%		VIIe	80	23.2	5	5	7	
795D2	Ashgrove silty clay loam, 9 to 14 percent slopes, moderately eroded	0.27	1.0%		IVe	88	25.5	7	7	40	
<b>Weighted Average</b>						<b>33.4</b>	<b>9.7</b>	<b>54.6</b>	<b>*-</b>	<b>*n 67.6</b>	

\*\*IA has updated the CSR values for each county to CSR2.

\*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.