



# Soils Map



State: **Iowa**  
 County: **Bremer**  
 Location: **7-92N-14W**  
 Township: **Lafayette**  
 Acres: **147.13**  
 Date: **12/22/2021**



Maps Provided By:  
  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2021 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: IA017, Soil Area Version: 26

| Code                    | Soil Description                             | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | *i Corn Bu  | *i Soybeans Bu | CSR2**      | CSR         | Alfalfa hay Tons | Bromegrass alfalfa AUM | Bromegrass alfalfa hay Tons | Canarygrass hay Tons | Corn Bu    | Corn silage Tons | Kentucky bluegrass AUM |
|-------------------------|--|-------|------------------|-------------|------------------|-------------|----------------|-------------|-------------|------------------|------------------------|-----------------------------|----------------------|------------|------------------|------------------------|
| 394B                    | Ostrander loam, 2 to 5 percent slopes        | 52.56 | 35.7%            |             | lle              | 225.6       | 65.4           | 88          | 85          |                  |                        |                             |                      |            |                  |                        |
| 198B                    | Floyd loam, 1 to 4 percent slopes            | 32.90 | 22.4%            |             | llw              | 222.4       | 64.5           | 89          | 80          |                  |                        |                             |                      |            |                  |                        |
| 394C                    | Ostrander loam, 5 to 9 percent slopes        | 31.59 | 21.5%            |             | llle             | 209.6       | 60.8           | 83          | 70          |                  |                        |                             |                      |            |                  |                        |
| 84                      | Clyde silty clay loam, 0 to 3 percent slopes | 25.68 | 17.5%            |             | llw              | 224         | 65             | 88          | 76          | 4.4              | 7                      | 4.2                         | 3                    | 193.5      | 18               |                        |
| 391B                    | Clyde-Floyd complex, 1 to 4 percent slopes   | 4.40  | 3.0%             |             | llw              | 216         | 62.6           | 87          | 72          |                  |                        |                             |                      |            |                  |                        |
| <b>Weighted Average</b> |  |       |                  |             |                  | <b>2.21</b> | <b>220.9</b>   | <b>64.1</b> | <b>87.1</b> | <b>78.7</b>      | <b>0.8</b>             | <b>1.2</b>                  | <b>0.7</b>           | <b>0.5</b> | <b>33.8</b>      | <b>3.1</b>             |

\*\*IA has updated the CSR values for each county to CSR2.

\*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.