

Soils Map





State: **lowa** County: **Floyd**

Location: **22-96N-18W**Township: **Rock Grove**

Acres: **164.57**Date: **6/19/2024**







Soils data provided by USDA and NRCS.

Area S	ymbol: IA067, Soil Area Version: 29									
Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn Bu	*i Soybeans Bu	CSR2**	CSR	*n NCCPI Soybeans
394B	Ostrander loam, 2 to 5 percent slopes	28.03	17.2%		lle	225.6	65.4	88	84	68
184	Klinger silty clay loam, 1 to 4 percent slopes	25.59	15.5%		lw	240.0	69.6	95	95	80
198B	Floyd loam, 1 to 4 percent slopes	25.19	15.3%		llw	222.4	64.5	89	74	88
682	Maxfield silt loam, 0 to 2 percent slopes	22.47	13.7%		llw			83		67
377B	Dinsdale silty clay loam, 2 to 5 percent slopes	20.76	12.6%		lle	232.0	67.3	94	90	75
616B	Aureola loam, 2 to 5 percent slopes	10.76	6.5%		lle	80.0	23.2	55	70	59
194B	Norville silty clay loam, 2 to 5 percent slopes	8.31	5.0%		lle	232.0	67.3	80	74	58
595	Harpster silty clay loam, 0 to 2 percent slopes	6.64	4.0%		llw	204.8	59.4	78	85	84
377	Dinsdale silty clay loam, 0 to 2 percent slopes	4.44	2.7%		le	240.0	69.6	99	95	74
84	Clyde silty clay loam, 0 to 3 percent slopes	3.98	2.4%		llw	224.0	65.0	88	77	85
398	Tripoli clay loam, 0 to 2 percent slopes	2.91	1.8%		llw	224.0	65.0	82	79	63
394C2	Ostrander loam, 5 to 9 percent slopes, eroded	2.69	1.6%		IIIe	204.8	59.4	73	67	55
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	1.26	0.8%		llw	198.4	57.5	65	80	66
399	Readlyn silt loam, 1 to 3 percent slopes	0.78	0.5%		lw	220.8	64.0	91		68
391B	Clyde-Floyd complex, 1 to 4 percent slopes	0.53	0.3%		llw	216.0	62.6	87	73	86
507	Canisteo silty clay loam, 0 to 2 percent slopes	0.23	0.1%		llw	224.0	65.0	90	79	88



Code	Soil Description		Percent of field	l	Non-Irr Class *c	-	*i Soybeans Bu	CSR2**	-	*n NCCPI Soybeans
Weighted Average					1.83	187	54.2	86.1	*-	*n 74

^{**}IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method